



Siren Amplifiers

Total Source have a range of siren amplifiers suitable for most applications. Featuring models with public address and radio re-broadcast capabilities as well as compact hidden units that change tone with a quick tap of the horn.

Each type is available in either 12 or 24 volt and are compatible with most types of siren speaker.



12V & 24V models available



Horn activated tone changing on selected models



Public address on selected models



Up to 5 tones available



Radio re-broadcast on selected models



Soft start on selected models



EA1001 Series



Part No. SA500-12



Part No. SS700-24



Part No. 809-001/2



Part No. 809-004/6

Siren Amplifier PA - 60 Watt

Part No.	Voltage	Output	Description
EA1001/12V	12	60W	Amplifier & Microphone
EA1001/24V	24	60W	Amplifier & Microphone

Features

- Public Address

Tones:

- Wail
- Yelp
- High Low
- Phaser
- Air Horn

Siren Amplifier PA - 100Watt

Part No.	Voltage	Output	Description
SA500-12	12	100W	Amplifier & Microphone
SS700-24	24	100W	Amplifier & Microphone

Features

- Public Address
- Radio Re-Broadcast
- Auxiliary Input
- Park Kill
- Horn ring cycler
- Manual & Alert settings

Tones:

- Wail
- Yelp
- Phaser
- Air Horn

Siren Amplifier PA - Remote Head 100W

Part No.	Voltage	Output	Description
809-001	12	100W	Amplifier & Microphone
809-002	24	100W	Amplifier & Microphone

Features

- Public Address
- Radio Re-Broadcast
- Park Kill
- Horn ring cycler
- Manual setting
- Softstart siren & manual wail
- Control Pad with 8 x lighting control

Tones:

- Wail
- Yelp
- Hi-Low
- Phaser
- Air Horn

Siren Amplifier - Remote Head 100W

Part No.	Voltage	Output	Description
809-004	12	100W	Amplifier only
809-006	24	100W	Amplifier only

Features

- Horn ring cycler
- Softstart siren

Tones:

- Wail
- Yelp
- Phaser
- Air Horn




Siren Speakers

Total Source range of siren speakers can be used in a multitude of applications. Available in two styles, traditional two piece, driver and cone or one piece full die-cast models.

Built to the highest standards and available in 60 and 100 Watt, Total Source siren speakers are compatible with most brands of siren amplifier on the Australian market.

60 Watts
OR
100 Watts

60 or 100 Watt models



Universal mount



Durable cast body



Polycarbonate speaker cone



Part No. TC60H



Part No. TC60/90



Part No. TC100H



Part No. SH3015



Part No. 810-011

Siren Speaker

Part No.	Watts	Weight	Figure
TC60H	60	2.4kg	1
TC60/90	60	2.4kg	2
TC100H	100	3kg	3




Fig.1




Fig.2




Fig.3

Siren Speaker - Alloy

Part No.	Watts	Weight	Figure
SH3015	100	4.2kg	1
810-011	100	3.29kg	2




Fig.1




Fig.2